
PROPELLER

GEMFAN®
WWW.GEMFANHOBBY.COM


FPV DRONE
FPV无人机


DELIVERY DRONE
配送无人机


AERIAL DRONE
航拍无人机


INDUSTRY DRONE
行业无人机


ROV APPLICATIONS
水下无人机


MICRO DRONES
玩具无人机


AEROMODELLING DRONE
航模螺旋桨

GEMFAN PRODUCT BROCHURE

乾丰产品手册

PROFESSIONAL PROPELLER SOLUTIONS PROVIDER

专业螺旋桨解决方案提供商

GEMFAN HOBBY CO.,LTD

宁波乾丰模型有限公司，是一家集研发、设计、生产、营销为一体的综合性企业（品牌“GEMFAN”），提供无人机螺旋桨解决方案，中国最专业的无人机螺旋桨生产企业之一。

团队核心长期对无人机的结构与气动性能有深入的研究，均为复合材料、无人机控制、空气动力等领域的资深专业人才，公司在螺旋桨方面拥有自主研发及生产能力，拥有海内外近百项设计专利，销售渠道分布全球，产品远销60多个国家地区。制造工厂占地面积7000㎡，拥有先进优良的各类加工生产设备及螺旋桨性能检测设备，精益求精的技术、现代化管理和完善的生产设备是产品质与量的有力保障。

乾丰参与多家海内外专业无人机公司的产品研发项目并提供无人机螺旋桨解决方案，设计及销售的产品在无人机行业内得到广泛的认可，含竞赛无人机、航拍无人机、配送无人机、采摘无人机、植保无人机等多个领域。公司自主品牌“GEMFAN”产品已被选为国家无人机世界锦标赛队及无人机竞赛世界冠军的专用器材。凭借在FPV竞速螺旋桨领域的杰出表现，公司已占据FPV螺旋桨市场份额的60%。

公司将继续秉承一贯的严谨创新精神，专业、品质、创新、诚信、服务为主旨，公司在无人机领域积极探索，优化自身并加强深入无人机螺旋桨的研究，我们致力于为全球客户提供以无人机动力系统解决方案，为推动行业及低空经济的发展做出一份贡献。

Ningbo GEMFANHOBBY Co., Ltd., under the brand “GEMFAN,” is a comprehensive enterprise that integrates R&D, design, production, and marketing, providing drone propeller solutions. It is one of China’s most professional drone propeller manufacturers.


The core team has long conducted in-depth research on drone structures and aerodynamic performance, consisting of seasoned professionals in composite materials, drone control, and aerodynamics. The company possesses independent R&D and production capabilities in propellers, holding nearly 100 design patents domestically and internationally. Its sales network spans the globe, with products exported to more than 60 countries and regions. The manufacturing facility covers an area of 7,000㎡, equipped with advanced processing and production machinery as well as propeller performance testing equipment. Refined technology, modern management, and complete production systems provide strong assurance of both product quality and capacity.

GEMFANHOBBY has participated in product R&D projects with numerous professional drone companies worldwide, offering comprehensive propeller solutions. Its designed and marketed products are widely recognized across the drone industry, covering racing drones, aerial photography drones, delivery drones, fruit-picking drones, agricultural drones, and more. The company’s self-owned brand, “GEMFAN,” has been selected as the official equipment for the National Drone World Championship team and multiple world champion drone racers. With outstanding achievements in the FPV racing propeller sector, the company now holds a 60% share of the FPV propeller market.


Upholding a consistent spirit of rigor and innovation, with professionalism, quality, innovation, integrity, and service as its core values, the company continues to explore the drone industry, optimize itself, and advance deeper research in drone propellers. We are committed to providing global customers with drone power system solutions and contributing to the development of the industry and the low-altitude economy.

产品系列
Product series

FPV类



FPV螺旋桨
FPV Props



赛道拱门
Racing Gate



赛道刀旗
Racing Flag

固定翼类



固定翼螺旋桨
Fixed Wings Props




整流罩
Spinner



F3A马达
F3A MOTOR

OEM类



配送无人机
DELIVERY DRONE




航拍无人机
AERIAL DRONE



行业无人机
INDUSTRY DRONE



水下无人机
ROV APPLICATIONS



研发能力
R&D ABILITY

设计能力：
Design Ability

自主研发设计，根据不同的应用、不同使用场景设计相应的螺旋桨，满足不同用户的需求

Independent ability of research and development, we can design the props according to different applications and usages to meet the needs of different customers.

性能测试：
Performance Test

桨叶数据反复验证，测试实验，以确保动平衡、效率、拉力匹配设计要求

To make sure meet the design requirements of dynamic balance, efficiency and thrust, we can do repeated propeller data verification and tests.

知识产权：
Intellectual Property

56项设计专利

56 design patents.

研发成果：
Achievements

GEMFAN研发螺旋桨助力各类无人机竞赛，成为无人机竞赛冠军的选择
ODM产品，为数个无人机公司协助研发无人机动力系统，成为多个无人机公司的选择

GEMFAN props are very popular in the FPV field and always the champion choice in the FPV races.
ODM products have assisted many UAV companies in the development of UAV power system, which has become the choice of many UAV companies.





1207-3（31mm）

颜色：

尺寸：1.2*0.7 inch
材质：PC
适配马达：0702 25000kv
重量：0.15g
孔径：1mm
包装：4CCW 4CW /包



1208-3（31mm）

颜色：

尺寸：1.2*0.8 inch
材质：PC
适配马达：0802 25000kv
重量：0.21g
孔径：0.8mm/1mm/1.5mm
包装：4CCW 4CW /包



1209-4（31mm）

颜色：

尺寸：1.2*0.9 inch
材质：PC
适配马达：0802 25000kv
重量：0.21g
孔径：0.8mm/1mm/1.5mm
包装：4CCW 4CW /包



1210-2（31mm）

颜色：

尺寸：1.2*1 inch
材质：PC
适配马达：0802
重量：0.19g
孔径：1mm
包装：4CCW 4CW /包



1211-4（31mm）

颜色：

尺寸：1.2*1.1inch
材质：PC
适配马达：0702 29000kv
重量：0.21g
孔径：0.8mm/1mm
包装：4CCW 4CW /包



1219-3（31mm）

颜色：

尺寸：1.2*1.9 inch
材质：PC
适配马达：0703-1103
重量：0.28g
孔径：0.8mm/1mm
包装：4CCW 4CW /包



1219S-3（31mm）

颜色：



尺寸： 1.2*1.9 inch
重量： 0.18g
材质 ： PC
孔径： 0.8mm/1mm
适配马达：0702
包装： 4CCW 4CW /包



1220-4（31mm）

颜色：



尺寸： 1.2*2 inch
重量： 0.31g
材质 ： PC
孔径： 0.8mm/1mm
适配马达：0703-1103
包装： 4CCW 4CW /包



1409-3

颜色：



尺寸： 1.4*0.9 inch
重量： 0.2g
材质 ： PC
孔径： 0.8mm/1mm
适配马达：0802
包装： 4CCW 4CW /包



1608-3（40mm）

颜色：



尺寸： 1.6*0.8 inch
重量： 0.42g
材质 ： PC
孔径： 1mm/1.4mm/1.5mm
适配马达：1103-1105
包装： 4CCW 4CW /包



1609-4（40mm）

颜色：



尺寸： 1.6*0.9 inch
重量： 0.5g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：1103-1105
包装： 4CCW 4CW /包



1610-2（40mm）

颜色：



尺寸： 1.6*1 inch
重量： 0.24g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：1102
包装： 4CCW 4CW /包



1611-3（40mm）

颜色：



尺寸： 1.6*1.1inch
重量： 0.34g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：0802-1102kv
包装： 4CCW 4CW /包



1613-4（40mm）

颜色：



尺寸： 1.6*1.3inch
重量： 0.44g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：0802-1102kv
包装： 4CCW 4CW /包



1614-3（40mm）

颜色：



尺寸： 1.6*1.4 inch
重量： 0.24g
材质 ： PC
孔径： 1mm/1.2mm/1.5mm
适配马达：0802 25000kv
包装： 4CCW 4CW /包



1635-3（40mm）

颜色：



尺寸： 1.6*3.5 inch
重量： 0.54g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：1103-1105
包装： 4CCW 4CW /包



1635-3（40mm）

颜色：



尺寸： 1.6*3.5 inch
重量： 0.54g
材质 ： PC
孔径： 1mm/1.5mm (3 holes)
适配马达：1103-1105
包装： 4CCW 4CW /包



1636-4（40mm）

颜色：



尺寸： 1.6*3.6 inch
重量： 0.61g
材质 ： PC
孔径： 1mm/1.5mm (3 holes)
适配马达：1103-1105
包装： 4CCW 4CW /包



1636-4（40mm）

颜色：



尺寸： 1.6*3.6 inch
重量： 0.61g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：1103-1105
包装： 4CCW 4CW /包



1811-3

颜色：



尺寸： 1.8*1.1 inch
重量： 0.32g
材质 ： PC
孔径： 1mm/1.2mm/1.5mm
适配马达：1102
包装： 4CCW 4CW /包



35MMS-2

颜色：



尺寸： 1.38*0.96 inch
重量： 0.7g
材质 ： PC
孔径： 1mm
适配马达：0802
包装： 4CCW 4CW /包



35MMS-3

颜色：



尺寸： 1.38*0.96 inch
重量： 0.22g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：0802
包装： 4CCW 4CW /包



35MM-3

颜色：



尺寸： 1.38*0.6 inch
重量： 0.32g
材质 ： PC
孔径： 1mm
适配马达：08028
包装： 4CCW 4CW /包



35MM-4

颜色：



尺寸： 1.38*0.6 inch
重量： 0.36g
材质 ： PC
孔径： 1mm
适配马达：08028
包装： 4CCW 4CW /包



45MM-2

颜色：



尺寸： 1.77*1.5 inch
重量： 0.33 g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：0805
包装： 4CCW 4CW /包




45MM-3

颜色：



尺寸： 1.77*1.5 inch
重量： 0.43g
材质 ： PC
孔径： 1mm/1.5mm
适配马达：0805
包装： 4CCW 4CW /包





D51-4(2020-4)

颜色：



尺寸： 2*2 inch
材质 ： PC
适配马达：1103-1105
重量： 0.91g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



D51-5（2020-5）

颜色：



尺寸： 2*1.9 inch
材质 ： PC
适配马达：1204 and up
重量： 0.996g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



D63-3

颜色：



尺寸： 2.48*1.65 inch
材质 ： PC
适配马达：1105-1108
重量： 1.4g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



D63-5

颜色：



尺寸： 2.48*3 inch
材质 ： PC
适配马达：1105-1108
重量： 1.76g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



2008-2

颜色：



尺寸： 2*0.8 inch
材质 ： PC
适配马达：1002-1102
重量： 0.3g
孔径： 1.5mm
包装： 4CCW 4CW /包



2009-3

颜色：



尺寸： 2*0.9 inch
材质 ： PC
适配马达：1002-1102
重量： 0.4g
孔径： 1mm/1.5mm
包装： 4CCW 4CW /包

2015-2



颜色：



尺寸： 2*1.5 inch
材质 ： PC
适配马达：1105-1108
重量： 0.5g
孔径： 1mm/1.5mm
包装： 4CCW 4CW /包

2023-3



颜色：



尺寸： 2*2.3 inch
材质 ： PC
适配马达：1105-1108
重量： 0.88g
孔径： 1mm/1.5mm (3 holes)
包装： 4CCW 4CW /包

2216-3



颜色：



尺寸： 2.2*1.6inch
材质 ： PC
适配马达：1104
重量： 0.7g
孔径： 1.5mm
包装： 4CCW 4CW /包

2023S-3



颜色：



尺寸： 2*2.3 inch
材质 ： PC
适配马达：1105-1108
重量： 0.7g
孔径： 1.5mm
包装： 4CCW 4CW /包

2512-3



颜色：



尺寸： 2.5*1.2 inch
材质 ： PC
适配马达：1103-1108
重量： 0.8g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包

2520-3



颜色：



尺寸： 2.5*2 inch
材质 ： PC
适配马达：1106-1404
重量： 1.0g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



2540-3

颜色：



尺寸： 2.5*4 inch
材质 ： PC
适配马达：1404-1106

重量： 0.98g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



2609-3

颜色：



尺寸： 2.6*0.9inch
材质 ： PC
适配马达：0816/1104

重量： 0.56g
孔径： 1mm/1.2mm/1.5mm
包装： 4CCW 4CW /包



2610-2

颜色：



尺寸： 2.6*1inch
材质 ： PC
适配马达：8520

重量： 0.5g
孔径： 1mm/1.2mm/1.4mm
包装： 4CCW 4CW /包



2036-4

颜色：



尺寸： 2*2.26 inch
材质 ： PC
适配马达：1105-1108

重量： 0.84g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



2035BN-4

颜色：



尺寸： 2*2.26 inch
材质 ： PC
适配马达：1105-1108

重量： 0.78g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



1940-3

颜色：



尺寸： 1.9*1.9 inch
材质 ： PC
适配马达：0806-1105

重量： 0.78g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



2040-3

颜色：



尺寸： 2*1.87 inch
材质 ： PC
适配马达：0806-1105
重量： 0.85g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



2412-3 61mm

颜色：



尺寸： 2.4*1.2 inch
材质 ： PC
适配马达：8520
重量： 0.63g
孔径： 1.2mm/1.5mm
包装： 4CCW 4CW /包



Rotorx 2535 2-4

颜色：



尺寸： 2.5*2.4 inch
材质 ： PC
适配马达：1105-1108
重量： 0.81g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



65MMS-2

颜色：



尺寸： 2.56*1.3 inch
材质 ： PC
适配马达：0806-1105
重量： 0.43g
孔径： 1mm/1.5mm
包装： 4CCW 4CW /包



65MM-2

颜色：



尺寸： 2.5*1.3 inch
材质 ： PC
适配马达：0802-1105kv
重量： 0.4g
孔径： 1mm/1.2mm/1.4mm/1.5mm
包装： 4CCW 4CW /包



2820-3

颜色：



尺寸： 2.8*2.0 inch
材质 ： PC
适配马达：1104-1404
重量： 1.4g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



2826-3

颜色：



尺寸： 2.8*2.4 inch
材质 ： PC
适配马达：1205
重量： 1.47g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



2828-3

颜色：



尺寸： 2.8*2.8 inch
材质 ： PC
适配马达：1506-4200kv
重量： 1.7g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



2925-5

颜色：



尺寸： 2.9*2.5 inch
材质 ： PC
适配马达：DJI AVATA/1507/2004
重量： 4.2g
孔径： 2mm (3 holes)
包装： 2CCW 2CW /包 (配螺钉)




D2.5-3

颜色：



尺寸： 2.5*2.4 inch
材质 ： PC
适配马达：1404-4600kv
重量： 1.2g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包





3018-2

颜色：



尺寸： 3*1.6 inch
材质 ： PC
适配马达：1106-1404
重量： 1.66g/pair
孔径： 1.5mm/2mm (3 holes)
包装： 4CCW 4CW /包



3016-3

颜色：



尺寸： 3*1.5 inch
材质 ： PC
适配马达：1106-1404
重量： 1.18g
孔径： 1.5mm/2mm (3 holes)
包装： 2CCW 2CW /包



3028-3

颜色：



尺寸： 3*2.1 inch
材质 ： PC
适配马达：1106-1306
重量： 1.49g
孔径： 1.5mm & M5(Adapter)
包装： 2CCW 2CW /包



3020-3

颜色：



尺寸： 3*2 inch
材质 ： PC
适配马达：1106-1404
重量： 1.3g
孔径： 1.5mm/2mm (3 holes)
包装： 2CCW 2CW /包



3024-3

颜色：



尺寸： 3*2.4 inch
材质 ： PC
适配马达：1408kv
重量： 1.8g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



3032-3

颜色：



尺寸： 3*3.2 inch
材质 ： PC
适配马达：DJI AVATA 2
重量： 1.8g
孔径： 2mm
包装： 2CCW 2CW /包



3052-3

颜色：



尺寸： 3*3.5 inch
材质 ： PC
适配马达：1306-1806
重量： 1.65g
孔径： 1.5mm & M5(Adapter)
包装： 2CCW 2CW /包



3630-3

颜色：



尺寸： 3.6*3 inch
材质 ： PC
适配马达：2004kv
重量： 1.75g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



D75-3

颜色：



尺寸： 2.95*3.4 inch
材质 ： PC
适配马达：1408-1808
重量： 1.9g
孔径： 1.5mm & M5(Adapter)
包装： 2CCW 2CW /包



D75S-3

颜色：



尺寸： 2.95*3.4 inch
材质 ： PC
适配马达：1408-1808
重量： 1.9g
孔径： 1.5mm & M5(Adapter)
包装： 2CCW 2CW /包



D76-5

颜色：



尺寸： 3*3 inch
材质 ： PC
适配马达：1408-1606
重量： 3g
孔径： 1.5mm & M5(Adapter)
包装： 2CCW 2CW /包



D90S-3

颜色：



尺寸： 3.54*2.4 inch
材质 ： PC
适配马达：2203-2306
重量： 2.3g
孔径： 1.5mm 3holes
包装： 2CCW 2CW /包



D90-5

颜色：



尺寸： 3.54*2.4 inch
材质 ： PC
适配马达：2204-2306

重量： 3.52g
孔径： 1.5mm/2mm & M5(Adapter)
包装： 2CCW 2CW /包



D90S-5

颜色：



尺寸： 3.5*3.3inch
材质 ： PC
适配马达：2006 1950kv

重量： 3.6g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



75mm-2

颜色：



尺寸： 2.95*0.9 inch
材质 ： PC
适配马达：1106-1306

重量： 0.48g
孔径： 1mm/1.5mm
包装： 4CCW 4CW /包



353D-3

颜色：



尺寸： 3.5*2.5inch
材质 ： PC
适配马达：1404kv

重量： 2.4g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



F3015-2

颜色：



尺寸： 3*1.5 inch
材质 ： PC
适配马达：1106-1306

重量： 0.9g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



F3015-3

颜色：



尺寸： 3*1.5 inch
材质 ： PC
适配马达：1505

重量： 1.4g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



4024-2

颜色：



尺寸： 4*2.4 inch
材质 ： PC
适配马达：1408-1506
重量： 1.61g
孔径： 1.5mm (3 holes)
包装： 4CCW 4CW /包



4023-3

颜色：



尺寸： 4*2.3 inch
材质 ： PC
适配马达：1505-3600kv
重量： 2.1g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



4032-3

颜色：



尺寸： 4*3.2 inch
材质 ： PC
适配马达：1406-2004
重量： 3.12g
孔径： 5mm
包装： 2CCW 2CW /包



D4-5

颜色：



尺寸： 1.57*3.8 inch
材质 ： PC
适配马达：2207-2306
重量： 5.5g
孔径： 5mm
包装： 2CCW 2CW /包



4525-3

颜色：



尺寸： 4.5*2.5 inch
材质 ： PC
适配马达：2004kv
重量： 2.22g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



4052-3

颜色：



尺寸： 4*3.9 inch
材质 ： PC
适配马达：1606-1806
重量： 4.02g
孔径： 5mm
包装： 2CCW 2CW /包



F4019-2

颜色：



尺寸： 4*1.9 inch
材质 ： PC
适配马达：1505-1606

重量： 1.42g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



F4019-3

颜色：



尺寸： 4*1.9 inch
材质 ： PC
适配马达：1505-1806

重量： 2.11g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



4022F

颜色：



尺寸： 4*2.2 inch
材质 ： PC
适配马达：DJI FLIP

重量： 0.37g
孔径： 2.95mm
包装： 2CCW 2CW /包





4934-3

颜色：



尺寸： 4.9*3.4 inch
重量： 3.5g
材质 ： PC
孔径： 5mm
适配马达： 2207-2306
包装： 4CCW OR 4CW /包



4937-3

颜色：



尺寸： 4.9*3.4 inch
重量： 3.5g
材质 ： PC
孔径： 5mm
适配马达： 2207-2505.5
包装： 2CCW 2CW /包



5127.5-3

颜色：



尺寸： 5.1*2.75 inch
重量： 4.2g
材质 ： PC
孔径： 5mm
适配马达： 2207-2306
包装： 2CCW 2CW /包



5129-3

Colors:



Size: 5.1*2.9 inch
Weight: 4.5g
Material: PC
Hole Dia: 5mm
Motor: 2207-2306
Package: 2CCW 2CW



5128.0-3

颜色：



尺寸： 5.1*2.8 inch
重量： 4.3g
材质 ： PC
孔径： 5mm
适配马达： 2207-2306
包装： 2CCW 2CW /包



5131.0-3

颜色：



尺寸： 5.1*3.1 inch
重量： 4.2g
材质 ： PC
孔径： 5mm
适配马达： 2207-2306
包装： 2CCW 2CW /包



51366-3

颜色：



尺寸： 5.1*2.8 inch
重量： 4.2g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



51377-3

颜色：



尺寸： 5.1*3 inch
重量： 4.5g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



51466v2-3

颜色：



尺寸： 5.1*3.6 inch
重量： 4.2g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



51433-3

颜色：



尺寸： 5.1*3.5 inch
重量： 3.8g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



51455-4

颜色：



尺寸： 5.1*3.8 inch
重量： 5.3g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



51477-3

颜色：



尺寸： 5.1*3.7 inch
重量： 4.1g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



51499-3

颜色：



尺寸： 5.1*4.99 inch
重量： 4.96g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



5127-3

颜色：



尺寸： 5.1*2.7 inch
重量： 4.4g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



5136-3

颜色：



尺寸： 5.1*3.6 inch
重量： 4.3g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



5536-3

颜色：



尺寸： 5.5*3.6 inch
重量： 4.9g
材质 ： PC
孔径： 5mm
适配马达：2306-2407
包装： 2CCW 2CW /包



5552-3

颜色：



尺寸： 5.5*4.7 inch
重量： 6.48g
材质 ： PC
孔径： 5mm
适配马达：2207-2306
包装： 2CCW 2CW /包



513D

颜色：



尺寸： 5.1*3.5 inch
重量： 4.4g
材质 ： PC
孔径： 5mm
适配马达：2206-2300
包装： 2CCW 2CW /包



5152-2



颜色：

尺寸： 5.1*4.2 inch
材质 ： PC
适配马达：2205-2306

重量： 3.8g
孔径： 5mm
包装： 2CCW 2CW /包



5152S



颜色：

尺寸： 5.1*5.2 inch
材质 ： PC
适配马达：2205-2306

重量： 5g
孔径： 5mm
包装： 2CCW 2CW /包



5144-3



颜色：

尺寸： 5.1*3.3 inch
材质 ： PC
适配马达：2205-2306

重量： 4.68g
孔径： 5mm
包装： 2CCW 2CW /包



5149-3



颜色：

尺寸： 5.1*3.5 inch
材质 ： PC
适配马达：2205-2306

重量： 4.59g
孔径： 5mm
包装： 2CCW 2CW /包



LR5126-2



颜色：

尺寸： 5.1*2.6 inch
材质 ： PC
适配马达：2004-2203

重量： 2.6g
孔径： 1.5mm OR M5 (3 holes)
包装： 2CCW 2CW /包



SL5125-3



颜色：

尺寸： 5.1*2.5 inch
材质 ： PC
适配马达：2204-2206

重量： 2.8g
孔径： 1.5mm (3 holes)
包装： 2CCW 2CW /包



SL5130-3

颜色：



尺寸： 5.1*3 inch
材质 ： PC
适配马达：2204-2203

重量： 3.1g
孔径： 1.5mm/2mm & M5(Adapter)
包装： 2CCW 2CW /包



F3S

颜色：



尺寸： 5*3 inch
材质 ： PC
适配马达：4S 2300-2500kv 6S 1650-1950KV

重量： 3.5g
孔径： 5mm
包装： 2CCW 2CW /包



F4S

颜色：



尺寸： 5*3.6 inch
材质 ： PC
适配马达：4S 2300-2500kv 6S 1650-1950KV

重量： 3.6g
孔径： 5mm
包装： 2CCW 2CW /包



5226-3

颜色：



尺寸： 5.2*2.6 inch
材质 ： PC
适配马达：2207-2306

重量： 4g
孔径： 5mm
包装： 2CCW 2CW /包



5236-3

颜色：



尺寸： 5.2*3.6 inch
材质 ： PC
适配马达：2207-2306

重量： 3.9g
孔径： 5mm
包装： 2CCW 2CW /包



5042-3

颜色：



尺寸： 5*3.4 inch
材质 ： PC
适配马达：2204-2306

重量： 4.1g
孔径： 5mm
包装： 2CCW 2CW /包



5043-3

颜色：



尺寸： 5*3.4 inch
材质 ： PC
适配马达：2204-2306
重量： 4.59g
孔径： 5mm
包装： 2CCW 2CW /包



5055S-3

颜色：



尺寸： 5*3.5 inch
材质 ： PC
适配马达：2206-2300
重量： 5.19g
孔径： 5mm
包装： 2CCW 2CW /包



F5135-2

颜色：



尺寸： 5.1*3.5 inch
材质 ： PC
适配马达：2205-2306
重量： 3g
孔径： 5mm
包装： 2CCW 2CW /包



F5135-3

颜色：



尺寸： 5.1*3.5 inch
材质 ： PC
适配马达：2206-2407
重量： 6g
孔径： 5mm
包装： 2CCW 2CW /包



493D-3

颜色：



尺寸： 4.9*3.2 inch
材质 ： PC
适配马达：2207kv
重量： 4.4g
孔径： 5mm
包装： 2CCW 2CW /包



SL 6026-2



颜色：



尺寸： 6*2.6 inch
材质 ： PC
适配马达：2004-2205

重量： 3.04g
孔径： 1.5mm/2mm & M5(Adapter) (3 holes)
包装： 2CCW 2CW /包

6030-3



颜色：



尺寸： 6*3 inch
材质 ： PC
适配马达：2207-2306

重量： 4.44g
孔径： 5mm
包装： 2CCW 2CW /包

6032-3



颜色：



尺寸： 6*3.2 inch
材质 ： PC
适配马达：2407-2506

重量： 5.8g
孔径： 5mm
包装： 2CCW 2CW /包

6038-4



颜色：



尺寸： 6*3.8 inch
材质 ： PC
适配马达：2808

重量： 8.2g
孔径： 5mm
包装： 2CCW 2CW /包

F6030-2



颜色：



尺寸： 6*3 inch
材质 ： PC
适配马达：2004-2205

重量： 3.9g
孔径： 5mm
包装： 2CCW 2CW /包

F6030-3



颜色：



尺寸： 6*3 inch
材质 ： PC
适配马达：2206-2207

重量： 6g
孔径： 5mm
包装： 2CCW 2CW /包



6042-2

颜色：



尺寸： 6*4.7 inch
重量： 4.83g
材质 ： PC
孔径： 5mm
适配马达：2306-2506
包装： 2CCW 2CW /包



6042-3

颜色：



尺寸： 6*4.7 inch
重量： 6.46g
材质 ： PC
孔径： 5mm
适配马达：2306-2506
包装： 2CCW 2CW /包




6045-3

颜色：



尺寸： 6*4.5 inch
重量： 7g
材质 ： PC
孔径： 5mm
适配马达：2506-2806.5
包装： 2CCW 2CW /包





7035-2

颜色：



尺寸： 7*3.5 inch
材质 ： PC
适配马达：2506-2604
重量： 4.2g
孔径： 5mm
包装： 2CCW 2CW /包



7042-2

颜色：



尺寸： 7*3.6 inch
材质 ： PC
适配马达：2407-2808
重量： 5.52g
孔径： 5mm
包装： 2CCW 2CW /包



7035-3

颜色：



尺寸： 7*3.5 inch
材质 ： PC / Glass Fiber Nylon/ Caron Nylon
适配马达：2808-2812
重量： 7.21g & 9g
孔径： 5mm
包装： 2CCW 2CW /包



7037-3

颜色：



尺寸： 7*3.7 inch
材质 ： PC / Glass Fiber Nylon/ Caron Nylon
适配马达：2808-2812
重量： 8.5g & 9.8g & 8.7g
孔径： 5mm
包装： 2CCW 2CW /包



7040-3

颜色：



尺寸： 7*3.6 inch
材质 ： PC
适配马达：2808-2812
重量： 7.9g
孔径： 5mm
包装： 2CCW 2CW /包



7043-3

颜色：



尺寸： 7*4.3 inch
材质 ： PC
适配马达：2808 & RAY12
重量： 10.3g
孔径： 5mm
包装： 2CCW 2CW /包



7041-3

颜色：



尺寸： 7*4.1 inch
材质 ： PC
适配马达：2408 1100kv
重量： 10.1g
孔径： 5mm
包装： 2CCW 2CW /包



7050-3

颜色：



尺寸： 7*5 inch
材质 ： PC
适配马达：2806.5-2808
重量： 8.9g
孔径： 5mm
包装： 2CCW 2CW /包



7140-3

颜色：



尺寸： 7.1*4 inch
材质 ： PC
适配马达：2808
重量： 9.8g
孔径： 5mm
包装： 2CCW 2CW /包



7535-3

颜色：



尺寸： 7.5*3.5 inch
材质 ： PC / Glass Fiber Nylon
适配马达：2812
重量： 8.5g & 11g
孔径： 5mm
包装： 2CCW 2CW /包





8040-3

颜色：



尺寸： 8*4 inch
材质 ： PC / Glass Fiber Nylon
适配马达：2808-3118
重量： 10.5 & 11.2g
孔径： 5mm
包装： 1CCW 1CW /包



8046-3

颜色：



尺寸： 8*4.6 inch
材质 ： Glass Fiber Nylon
适配马达：2808-3118
重量： 13.5g
孔径： 5mm
包装： 1CCW 1CW /包



8060-3

颜色：



尺寸： 8*6 inch
材质 ： Glass Fiber Nylon
适配马达：2808-3118
重量： 12.8g
孔径： 5mm
包装： 1CCW 1CW /包



8145-3

颜色：



尺寸： 8.1*4.5 inch
材质 ： PC
适配马达：2808-2812
重量： 16.5g
孔径： 5mm
包装： 1CCW 1CW /包



9045-3

颜色：



尺寸： 9*4.5 inch
材质 ： Glass Fiber Nylon
适配马达：2810-3118
重量： 16.7g
孔径： 5mm
包装： 1CCW 1CW /包



9046-3

颜色：



尺寸： 9*4.6 inch
材质 ： Glass Fiber Nylon
适配马达：3115kv
重量： 18.8g
孔径： 5mm
包装： 1CCW+1CW / 包



9150-3

颜色：



尺寸： 9.1*5 inch
材质 ： Glass Fiber Nylon
适配马达：3115 1000kv
重量： 23.4g
孔径： 5mm
包装： 1CCW 1CW /包



1045-3

颜色：



尺寸： 10*4.5 inch
材质 ： Glass Fiber Nylon
适配马达：3214-800kv
重量： 17.8g
孔径： 5mm
包装： 1CCW+1CW / 包



1050-3

颜色：



尺寸： 10*5 inch
材质 ： Glass Fiber Nylon
适配马达：3212-3214
重量： 16.8g
孔径： 5mm
包装： 1CCW 1CW /包



1050W-3

颜色：



尺寸： 10*5 inch
材质 ： Glass Fiber Nylon
适配马达：3214
重量： 25g
孔径： 5mm
包装： 1CCW 1CW /包



1070-3

颜色：



尺寸： 10*7 inch
材质 ： Glass Fiber Nylon
适配马达：3214-800kv
重量： 23.3g
孔径： 5mm
包装： 1CCW 1CW /包



1080-3

颜色：



尺寸： 10*8 inch
材质 ： Glass Fiber Nylon
适配马达：3115-900kv
重量： 17g
孔径： 5mm
包装： 1CCW 1CW /包



1145-3

颜色：



尺寸： 11*4.5 inch
材质 ： Glass Fiber Nylon
适配马达：3214-800kv
重量： 28g
孔径： 5mm
包装： 1CCW+1CW / 包



1170-3

颜色：



尺寸： 11*7 inch
材质 ： Glass Fiber Nylon
适配马达：3220
重量： 27.7g
孔径： 5mm
包装： 1CCW 1CW /包



10.1X5.5-3

颜色：



尺寸： 10.1×5.5
材质 ： Glass Fiber Nylon
适配马达：3115 800kv
重量： 32g
孔径： 5mm
包装： 1CCW 1CW /包



1270-3

颜色：



尺寸： 12*7 inch
材质 ： Glass Fiber Nylon
适配马达：3517
重量： 32.7g
孔径： 5mm
包装： 1CCW 1CW /包



1308-3

颜色：



尺寸： 13*8 inch
材质 ： Glass Fiber Nylon / Carbon Nylon
适配马达：5310-400kv
重量： 39 & 42g
孔径： 6mm
包装： 1CCW 1CW /包



1309-3

颜色：



尺寸： 13*9 inch
材质 ： Glass Fiber Nylon
适配马达：4115 600kv
重量： 42.6g
孔径： 6mm
包装： 1CCW 1CW /包



1310-3

颜色：



尺寸： 13*10 inch
材质 ： Glass Fiber Nylon / Carbon Nylon
适配马达：4110

重量： 41g & 43g
孔径： 6mm
包装： 1CCW 1CW /包



1312-3

颜色：



尺寸： 13*12 inch
材质 ： Glass Fiber Nylon
适配马达：4218 540kv

重量： 44.3g
孔径： 6mm加六孔垫圈
包装： 1CCW 1CW /包



1410-3

颜色：



尺寸： 14*10 inch
材质 ： Glass Fiber Nylon
适配马达：4218

重量： 53.4g
孔径： 6mm
包装： 1CCW 1CW /包



1507-3

颜色：



尺寸： 15*7 inch
材质 ： Glass Fiber Nylon
适配马达：4218

重量： 68g
孔径： 6mm
包装： 1CCW 1CW /包



1510-3

颜色：



尺寸： 15*10 inch
材质 ： Glass Fiber Nylon
适配马达：4218 660kv

重量： 70g
孔径： 6mm加六孔垫圈
包装： 1CCW 1CW /包



16x8x3

颜色：



尺寸： 16*8 inch
材质 ： Glass Fiber Nylon
适配马达：4720 500kv

重量： 84.9g
孔径： 6mm加适配圈
包装： 1CCW 1CW /包



17x8x3

颜色：



尺寸： 17*8 inch
材质 ： Glass Fiber Nylon
适配马达：5330

重量： 100.5g
孔径： 6mm加适配圈
包装： 1CCW 1CW /包




18x10x3

颜色：



尺寸： 18*10 inch
材质 ： Glass Fiber Nylon
适配马达：5330

重量： 119.3g
孔径： 6mm加适配圈
包装： 1CCW 1CW /包





7036F-2

颜色：



尺寸： 7*3.6 inch
材质 ： Glass Fiber Nylon
适配马达：2806.5 1350kv
重量： 5.5g
孔径： 5mm
包装： 2CCW+2CW



7036F-3

颜色：



尺寸： 7*3.6 inch
材质 ： Glass Fiber Nylon
适配马达：2806.5 1350kv
重量： 8.2g
孔径： 5mm
包装： 2CCW+2CW



8041F-2

颜色：



尺寸： 8*41 inch
材质 ： Glass Fiber Nylon
适配马达：2812 1200kv
重量： 7.79g
孔径： 5mm
包装： 1CCW+1CW / 2CCW+2CW



8041F-3

颜色：



尺寸： 8*41 inch
材质 ： Glass Fiber Nylon
适配马达：2812 1200kv
重量： 11.6g
孔径： 5mm
包装： 1CCW+1CW / 2CCW+2CW



9046F-2

颜色：



尺寸： 9*4.6 inch
材质 ： Glass Fiber Nylon
适配马达：2812 1000kv
重量： 9.6g
孔径： 5mm
包装： 1CCW+1CW / 2CCW+2CW



9046F-3

颜色：



尺寸： 9*4.6 inch
材质 ： Glass Fiber Nylon
适配马达：2812 1000kv
重量： 14.5g
孔径： 5mm
包装： 1CCW+1CW / 2CCW+2CW



1051F-2

颜色：



尺寸： 10*51 inch
材质 ： Glass Fiber Nylon
适配马达：3214-800kv

重量： 11.5g
孔径： 5mm
包装： 1CCW+1CW / 2CCW+2CW



1051F-3

颜色：



尺寸： 10*51 inch
材质 ： Glass Fiber Nylon
适配马达：3214-800kv

重量： 17.6g
孔径： 5mm
包装： 1CCW+1CW / 2CCW+2CW



1159F-3

颜色：



尺寸： 111*5.9 inch
材质 ： Glass Fiber Nylon
适配马达：3115 800kv

重量： 33.7g
孔径： 6mm
包装： 1CCW 1CW /包



1265F-3

颜色：



尺寸： 12*6.5 inch
材质 ： Glass Fiber Nylon
适配马达：4115 660kv

重量： 33.7g
孔径： 6mm
包装： 1CCW 1CW /包



1307F-3

颜色：



尺寸： 13*7 inch
材质 ： Glass Fiber Nylon
适配马达：4115 600kv

重量： 43.3g
孔径： 6mm
包装： 1CCW 1CW /包



1407F-3

颜色：



尺寸： 14*7 inch
材质 ： Glass Fiber Nylon
适配马达：4218 660kv

重量： 49.4g
孔径： 6mm
包装： 1CCW 1CW /包



1510F-3

颜色：



尺寸：	15*10 inch	重量：	59g
材质 ：	Glass Fiber Nylon	孔径：	6mm
适配马达：	4218 660kv	包装：	1CCW 1CW /包



比赛穿越门幅-7X6FT蓝色

竞赛专用，赛道标准7*6FT大门



配件　顶幅*1，侧幅*2（不含安装管材）

规格　安装后内径：7X6FT（213.4*182.9CM）
安装后外径：305*236CM
包装尺寸：32*10*8CM

比赛穿越门幅-5X5FT蓝色

竞赛专用，常规练习门，抗风抗刮



配件　顶幅*1，侧幅*2（不含安装管材）

规格　安装后内径：5X5FT（152*152CM）
安装后外径：213*183CM
包装尺寸：32*10*8CM
重量：620 G

比赛穿越门幅-5X5FT红色

竞赛专用，常规练习门，颜色醒目，抗风抗刮




配件　顶幅*1，侧幅*2（不含安装管材）

规格　安装后内径：5X5FT（152*152CM）
安装后外径：213*183CM
包装尺寸：55*11*10CM
重量：620 G

比赛穿越门幅-5X5FT反光款

竞赛专用，常规练习门，夜晚反光，抗风抗刮



配件　顶幅*1，侧幅*2（不含安装管材）

规格　安装后内径：5X5FT（152*152CM）
安装后外径：213*183CM
包装尺寸：55*11*10CM
重量：660 G

比赛穿越门幅-5X5FT橙色

竞赛专用，常规练习门，颜色醒目，抗风抗刮



配件　顶幅*1，侧幅*2（不含安装管材）

规格　安装后内径：5X5FT（152*152CM）
安装后外径：213*183CM
包装尺寸：55*11*10CM
重量：620 G



双面穿越门-橙色

可折叠携带，2种尺寸规格可选



配件　穿越门*1，配件*1，防风绳*2，玻纤杆*2，便携袋*1

规格　安装后尺寸：150*150*120CM
包装尺寸：12*12*53CM

室内穿越门-四合一反光款

室内赛道用，可根据需求DIY方形门或者双门、四门




配件　80cm穿越门*1（四合一,可拆分），便携袋*1

规格　立体方形穿越门，边框反光，四面可拆分
外径：80*80CM
布面宽度：9CM

室内穿越门-80CM

室内赛道用，可根据需求DIY方形门或者双门、四门




配件　80cm穿越门*1，便携袋*1

规格　立体方形穿越门
外径：80*80CM
布面宽度：9CM

室内穿越门-80CM套装

室内DIY穿越门，可改变高度




配件



规格　穿越门尺寸：80*80cm
搭建后高度：105-145cm（可调节）
重量：1.32kg

室内穿越门-78CM单门

室内轻便可折叠




配件　78CM单门*1,固定扣*2

规格　穿越门尺寸：78*78cm
包装尺寸：30*30cm
重量：99g

室内穿越门-78CM套装

室内DIY穿越门，可改变高度




配件



规格　穿越门尺寸：78*78cm
搭建后高度：100-145cm（可调节）
重量：440g

室内穿越门-52CM单门

Tiny飞机专用门，室内穿越门轻便可折叠




配件　52CM单门*1,固定扣*2

规格　穿越门尺寸：52*52cm
包装尺寸：22*22cm
重量：43g

室内穿越门-套装配件

套装配件支架哎，用于穿越门搭配使用



配件　底座*2，直通*6，玻纤杆*14

规格　配件套装（单门搭配1套，四方门搭配2套）
包装尺寸：40*14cm
重量：350g

刀旗-3.6M

可拆卸便携，可更换旗面



配件　旗杆*1，旗面*1，地钉*1，便携袋*1

规格　旗面宽度: 60*250CM
旗杆高度: 360CM
包装尺寸：120CM*7CM*6CM

刀旗-4.6M

可拆卸便携，可更换旗面



配件　旗杆*1，旗面*1，地钉*1，便携袋*1

规格　旗面宽度: 70*340CM
旗杆高度: 460CM
包装尺寸：120CM*7CM*7CM



VORTEX-固定翼电动桨

型号	桨毂厚度	中心孔径	桨叶重量	型号	桨毂厚度	中心孔径	桨叶重量
5×5E	6mm	6.35mm （5圈）	3.7g	10×7E	10.2mm	6.35mm （6圈）	20.8g
5×5R	6mm	6.35mm （5圈）	3.7g	10×7R	10.2mm	6.35mm （6圈）	20.8g
5×7.5E	6mm	6.35mm （5圈）	3.7g	10×8E	11.4mm	6.35mm （6圈）	21g
5×7.5R	6mm	6.35mm （5圈）	3.7g	10×10E	10.2mm	6.35mm （6圈）	20.8g
5.25×8E	6mm	6.35mm （5圈）	3.8g	10×10R	10.2mm	6.35mm （6圈）	20.8g
5.25×8R	6mm	6.35mm （5圈）	3.8g	11×5.5R	10.4mm	6.35mm （6圈）	26.2g
6×4E	6.1mm	6.35mm （5圈）	5.2g	11×7E	10.7mm	6.35mm （6圈）	26.3g
6×4R	6.1mm	6.35mm （5圈）	5.2g	11×7R	10.7mm	6.35mm （6圈）	26.3g
6×6E	6.5mm	6.35mm （5圈）	5.2g	11×8E	11.6mm	6.35mm （6圈）	25.9g
6×6R	6.5mm	6.35mm （5圈）	5.2g	12×6E	10.8mm	6.35mm （6圈）	30.4g
6×8E	9mm	6.35mm （5圈）	7.3g	12×6R	10.8mm	6.35mm （6圈）	30.4g
6×8R	9mm	6.35mm （5圈）	7.3g	12×8E	10.9mm	6.35mm （6圈）	30.4g
6×12E	9mm	6.35mm （5圈）	7.4g	12×8R	10.9mm	6.35mm （6圈）	30.4g
6×12R	9mm	6.35mm （5圈）	7.4g	12×10E	13mm	6.35mm （6圈）	31.9g
7×5E	8.1mm	6.35mm （5圈）	9.9g	12×12E	13mm	6.35mm （6圈）	31.7g
7×5R	8.1mm	6.35mm （5圈）	9.9g	12×12R	13mm	6.35mm （6圈）	31.7g
7×6E	8.1mm	6.35mm （5圈）	9.7g	13×4E	12.4mm	6.35mm （6圈）	35.6g
7×6R	8.1mm	6.35mm （5圈）	9.7g	13×6.5E	11mm	6.35mm （6圈）	32.6g
7×7E	9mm	6.35mm （5圈）	9.8g	13×6.5R	11mm	6.35mm （6圈）	32.6g
7×7R	9mm	6.35mm （5圈）	9.8g	13×8E	12.4mm	6.35mm （6圈）	35.5g
7×8E	8.5mm	6.35mm （5圈）	9.8g	13×8R	12.4mm	6.35mm （6圈）	35.5g
7×8R	8.5mm	6.35mm （5圈）	9.8g	13×10E	12mm	6.35mm （6圈）	35g
7×9E	8.9mm	6.35mm （5圈）	9.8g	13×13E	13.4mm	6.35mm （6圈）	35g
7×9R	8.9mm	6.35mm （5圈）	9.8g	13×13R	13.4mm	6.35mm （6圈）	35g
7×10E	9.8mm	6.35mm （5圈）	9.8g	14×7E	12.3mm	6.35mm （6圈）	36.9g
7×10R	9.8mm	6.35mm （5圈）	9.8g	14×7R	12.3mm	6.35mm （6圈）	36.9g
7×11E	9mm	6.35mm （5圈）	10.1g	14×8.5E	12.6mm	6.35mm （6圈）	40.3g
7×11R	9mm	6.35mm （5圈）	10.1g	14×8.5R	12.8mm	6.35mm （6圈）	39.97g
7×13E	9mm	6.35mm （5圈）	10.3g	14×10E	13mm	6.35mm （6圈）	40.6g
7×13R	9mm	6.35mm （5圈）	10.3g	14×10R	13mm	6.35mm （6圈）	40.6g
8×4E	9.3mm	6.35mm （6圈）	16.6g	14×12E	13.6mm	6.35mm （6圈）	40.8g
8×4R	9.3mm	6.35mm （6圈）	16.6g	14×14E	14.3mm	6.35mm （6圈）	40.7g
8×6E	9.8mm	6.35mm （6圈）	16.8g	15×8E	11.5mm	6.35mm （6圈）	46.25g
8×6R	9.8mm	6.35mm （6圈）	16.8g	15×10E	12mm	6.35mm （6圈）	45.9g
8×8E	11.8mm	6.35mm （6圈）	17.3g	15×10R	12mm	6.35mm （6圈）	45.9g
8×8R	11.8mm	6.35mm （6圈）	17.3g	15×12E	12.4mm	6.35mm （6圈）	46.72g
8×10E	12.8mm	6.35mm （6圈）	17.3g	15×12R	12.4mm	6.35mm （6圈）	46.72g
8×10R	12.8mm	6.35mm （6圈）	17.3g	16×8E	12.9mm	6.35mm （6圈）	60.6g
9×4.5E	9.9mm	6.35mm （6圈）	20.4g	16×10E	13mm	6.35mm （6圈）	60.8g
9×4.5R	9.9mm	6.35mm （6圈）	20.4g	16×10R	13mm	6.35mm （6圈）	60.8g
9×6E	9.9mm	6.35mm （6圈）	20g	16×12E	14.5mm	6.35mm （6圈）	54.5g
9×6R	9.9mm	6.35mm （6圈）	20g	16×12R	14.5mm	6.35mm （6圈）	54.5g
9×7.5E	10.4mm	6.35mm （6圈）	20.6g	17×8E	12.5mm	6.35mm （6圈）	67.76g
9×7.5R	10.4mm	6.35mm （6圈）	20.6g	17×8R	12.5mm	6.35mm （6圈）	67.76g
9×9E	10.4mm	6.35mm （6圈）	20.6g	17×10E	12.5mm	6.35mm （6圈）	69.66g
9×9R	10.4mm	6.35mm （6圈）	20.6g	17×10R	12.5mm	6.35mm （6圈）	69.66g
10×5E	10.1mm	6.35mm （6圈）	20.8g	17×12E	14.3mm	6.35mm （6圈）	64.5g
10×6R	10.1mm	6.35mm （6圈）	20.2g	18×8E	12.35mm	6.35mm （6圈）	87.3g

VORTEX-固定翼电动桨

型号	桨毂厚度	中心孔径	桨叶重量	型号	桨毂厚度	中心孔径	桨叶重量
18×8R	12.35mm	6.35mm （6圈）	87.3g	20×10E	12.9mm	6.35mm （6圈）	94.6g
18×10E	12.5mm	6.35mm （6圈）	87.5g	20×10R	13.2mm	6.35mm （6圈）	94.6g
18×12E	14.3mm	6.35mm （6圈）	78.7g	20×13E	12.7mm	6.35mm （6圈）	96.8g
19×10E	12.5mm	6.35mm （6圈）	83.75g	20×13R	12.7mm	6.35mm （6圈）	96.8g
19×10R	12.7mm	6.35mm （6圈）	83.75g	21×12E	14.5mm	6.35mm （6圈）	121.73g
19×12E	12.2mm	6.35mm （6圈）	83.9g	21×13E	14.5mm	6.35mm （6圈）	121.26g
7x9x3	8.9mm	6.35mm （5圈）	9.8g				

垫圈尺寸: 5圈:3mm/4mm/5mm/6mm/7mm 6圈:3mm/3.17mm/4mm/5mm/6mm/8mm



电动桨	油动桨	折叠桨	电动竞速桨	直驱桨
4747	8060	7×6	4030	5030–4mm
5050	9050	7.5×4	4740	6030–4mm
6040	9060	8×5	5050	7035–4mm
6040R	1060	9×5	5543	7035–3mm
6055	1160	10×6	5555	8040–3mm
7050	1260	11×8	6060	8060–3mm
7060	1280	12×8		9050–3mm
8040	1340	13×8		1060–4mm
8060	1360			5030–5mm
9045	1460			7035–5mm
9060	1510			8040–5mm
9060EP				6030–5mm
1050				8060–5mm
1060				9050–5mm
1070				1060–5mm
1155				
1170				
1260				
1280				
1365				
1470				
1580				
1680				
1612				
1780				
1710				





铝底整流罩

尺寸：38mm、45mm、51mm、57mm、63mm、70mm、75mm

颜色：





铝底镂空整流罩

尺寸：51mm、57mm、63mm、70mm、75mm、82mm

颜色：





塑料整流罩

尺寸：38mm、45mm、51mm、57mm、63mm、70mm、75mm

颜色：





铝合金折叠桨整流罩

尺寸：30mm、35mm (轴：2.3mm/3mm/3.2mm/4mm/5mm可选)
40mm、45mm (轴：3mm/3.2mm/4mm/5mm可选)
50mm (轴：3mm/3.2mm/4mm/5mm/6mm可选)

类型：





碳纤维铝底整流罩


尺寸：75mm、82mm (二叶/三叶，镂空/不镂空)


类型：



F3A电机







KV值：	200 / 210 / 220 KV	级数：	20P
轴直径：	8mm	电机尺寸(Dia.*Len)：	Φ68 × 101mm
重量：	565–590g	锂电池电压(Lipo)：	8–10S

F3A共轴系统



F3A共轴电机 4025HS 500KV

F3A共轴系统，最大限度地减少旋转螺旋桨引起的扭矩影响，配合共轴整流罩和对转螺旋桨使用



F3A共轴铝底整流罩碳纤维82MM

材质：碳纤维、航空铝、钢轴
尺寸：82mm 开孔/未开孔可选
配合共轴对转螺旋桨使用




F3A共轴碳桨




前桨：22X18 / 22X20 可选
后桨：22X20R
材质：碳纤维

为您提供螺旋桨解决方案

PROFESSIONAL DRONE PROPELLER MANUFACTURER

设计需求 — 研发跟随 — 性能测试 — 生产制造 — 品质监控



GEMFAN 专业研发生产定制无人机螺旋桨，公司致力于为行业提供更加专业的产品，丰富的设计经验，研发跟随 ，灵活的技术方案定制。研发生产的产品得到国际与国内几十家专业无人机公司认可，在无人机及航模业界公认的具有较高的平衡性和更高的效率，协助参与多家无人机公司动力系统研发，涉及含竞赛无人机、航拍无人机、配送无人机、采摘无人机、植保无人机、水下无人机等多个领域。专业的测试设备及研发能力，为您提供螺旋桨解决方案。

Specializing in R&D and production of customized drone propellers, the company devotes itself to providing more professional products. Gemfan has been recognized by many professional drone companies at home and abroad and is their partner for OEM/ODM. The industry recognizes Gemfan propeller has higher balance and higher efficiency.
Assisted and participated in the power system R&D of many drone companies, including FPV drone, Aerial photography drone, Delivery drone, Picking drone, Agricultural drone, Underwater drone, etc.
Welcome to inquiry OEM/ODM.





咨询邮箱：contact@gemfanhobby.com / yangli@gemfanhobby.com

GEMFAN®

企业愿景

成为行业领先的无人机螺旋桨
解决方案提供商

企业使命

持续创新翎航世界
匠心服务成就梦想

企业价值观

成就客户、奋斗为本
高效精准、协同共赢

浙江省宁波市鄞州区科技信息孵化园E-1501
Room 1501, Building E,Incubation Park,Yinzhou District,Ningbo City,Zhejiang Province
+86-0574-88120797 contact@gemfanhobby.com WWW.GEMFANHOBBY.COM